LHC Physics Potential *vs.* Energy

Chris Quigg

Fermilab

Wine & Cheese Seminar · 28 August 2009

arXiv:0908.3660 lutece.fnal.gov/PartonLum

EHLQ, *Rev. Mod. Phys.* **56**, 579–707 (1984)
Ellis, Stirling, Webber, *QCD & Collider Physics*
MRSW08NLO examples: RKE Lecture 3, SUSSP 2009

LHC experiments begin soon . . .

The Large Hadron Collider will run for the first part of the 2009-2010 run at 3.5 *TeV per beam, with the energy rising later in the run.*

- How is the physics potential compromised by running below 14 TeV?
- At what point will the LHC begin to explore virgin territory and surpass the discovery reach of the Tevatron experiments CDF and D0?

Parton Luminosities + Prior Knowledge = Answers

Taking into account $1/\hat{s}$ behavior of hard scattering,

$$\frac{\tau}{\hat{s}}\frac{d\mathcal{L}}{d\tau} \equiv \frac{\tau/\hat{s}}{1+\delta_{ij}}\int_\tau^1 \frac{dx}{x}[f_i^{(a)}(x)f_j^{(b)}(\tau/x) + f_j^{(a)}(x)f_i^{(b)}(\tau/x)]$$

is a convenient measure of parton *ij* luminosity.

$$f_i^{(a)}(x)\text{: pdf;} \quad \tau = \hat{s}/s$$

$$\sigma(s) = \sum_{\{ij\}}\int_{\tau_0}^1 \frac{d\tau}{\tau}\cdot\frac{\tau}{\hat{s}}\frac{d\mathcal{L}_{ij}}{d\tau}\cdot[\hat{s}\hat{\sigma}_{ij}(\hat{s})]$$

EHLQ §2; *QCD & Collider Physics*, §7.3

Parton Luminosity



Parton Luminosity



Parton Luminosity (light quarks)



Luminosity Ratios



Luminosity Ratios



Luminosity Ratios



Luminosity Ratios



Luminosity Ratios



Luminosity Ratios